## **Appendix A – Contingency Plan Template**

## **VACCINE COLD CHAIN CONTINGENCY PLAN**

ORGANIZATION/OFFICE NAME:

In advance of a power outage/refrigerator malfunction, download and print hard copies of the most up-to-date cold chain incident forms from the WECHU's website: <a href="https://www.wechu.org/professionals/health-care-providers/vaccine-providers">https://www.wechu.org/professionals/health-care-providers/vaccine-providers</a>

PRIMARY EMERGENCY CONTACT NAME:	PHONE #:
SECONDARY EMERGENCY CONTACT NAME:	
In case of power outage/refrigerator n	nalfunction, follow these steps:
1. Record the time of discovery, minimum, maximum a	nd current refrigerator temperatures.
<b>2. DO NOT OPEN THE FRIDGE DOOR. DO NOT REMO</b> that says, "DO NOT OPEN/DO NOT USE VACCINE".	<b>VE VACCINES.</b> Place a sign on the fridge door
<b>3.</b> If the refrigerator is currently outside of +2.0°C and +8.0°C and the power outage/refrigerator malfunction is expected to last more than a few hours, vaccines should be placed in a properly packed cooler chilled to between +2.0°C and +8.0°C for transport to a monitored refrigerator. Our cooler supplies are located:	
[See image of packing a vaccine cooler on page 11 of Maintain the minimum, maximum and current temperatures hourly. Do	
<b>4.</b> In the event of a long-term power outage or refrigeration can be relocated to the following pre-designated location	
LOCATION NAME:	
ADDRESS:	
PHONE NUMBER:	
<b>5.</b> When the power is restored, record the time, minimum.	ım, maximum and current refrigerator

ALWAYS REPORT ANY TEMPERATURE INCIDENTS/EXCURSIONS OUTSIDE OF +2.0°C and +8.0°C TO THE WECHU at 519-258-2146 ext. 1121.

USE VACCINE" until you have received confirmation from the WECHU that they are safe to use.

temperatures. Record the time again when the temperature returns to between +2.0°C and +8.0°C. It is now safe to return the vaccine to your refrigerator. Keep a sign on the refrigerator that says "DO NOT"