

For Congregate Living Settings

Refer to this checklist to manage outbreaks as per the Ministry of Health's protocols and the Windsor-Essex County Health Unit (WECHU) recommendations. Retain for your records.

Setting Name:			Outbreak #: 2268		Date:		
Out	Outbreak Declaration: Suspect Confirmed						
Affected Area: Entire living setting ☐ OR Name of unit(s)/floor(s):							
Cas	e definition: deterr	mined by the WE	CHU (Click here	or visit wechu.org	;)		
	□ Abnormal temperature □ New/worsening cough □ Shortness of breath						
□ Nasal congestion/runny nose □ Sore throat/h			noarseness	☐ Loss of ta	ste/smell		
	/lalaise/fatigue		☐ Headache		☐ Other:		
			CON	ITACT			
	Identify the designated WECHU nurse for your outbreak: Nurse Name: Phone #: 519-258-2146 ext For any questions or concerns please contact your designated nurse or the Infectious Disease Prevention department (IDP) at 519-258-2146 ext. 1420. The WECHU business hours are from 8:30am - 4:30pm Monday to Friday. Contact the After-Hours hotline at 519-973-4510 to speak with on-call personnel outside of WECHU business hours.						
			IMMEDIA	TE ACTIONS			
	meone residing	Immediately sel	f-isolate the in	dividual.			
	he setting is	Implement additional precautions (i.e., contact/droplet), if possible.					
•	ptomatic: re information on	Provide any necessary medical assessments.					
	e steps below	Test for COVID-19 or other respiratory illness.					
			TES	TING			
	Ensure there is a plan in place to test individuals residing in the setting for pathogens in accordance with internal policies and procedures. Refer to the PHO's <u>Kit and Test Ordering Instructions</u> or the <u>Respiratory Viruses (including influenza)</u> webpages for more information on testing procedures.						
	Consult with your WECHU outbreak nurse and a primary care provider for more information on specific test types and lab requisitions.						
	LINE LISTS						
	Create a line list of ill individuals who belong to the outbreak (<u>click here</u> to download the line list or visit wechu.org). *Only include those on the line list who meet case definition (see above).						
	Update and fax line lists daily to the WECHU by 10:00 am to fax #519-977-5097.						
COMMUNICATION							
	Post outbreak signage at all entrances of building.						



For Congregate Living Settings

	Notify all staff, students, volunteers, families and visitors of the outbreak. The WECHU will send your setting an Advisory Notice to reflect the current outbreak. An Outbreak Notification will be <u>posted on the WECHU website</u> alerting others of a current outbreak in a congregate living setting, however identifying details such as the name of the setting and the address will not be disclosed.						
	Convene an Outbreak Management Team (OMT) and meet daily to review the status of the outbreak and communicate updates to the WECHU.						
	PUBLIC HEALTH INSPECTOR						
	Identify the designated Public Health Inspector (PHI) from the WECHU for your setting, if app						
		Phone #: 519-258-2146 ext n Inspector (PHI) may reach out to conduct a site visit.					
	IPAC OUTBREAK MEASURES						
	Refer to <u>WECHU IPAC Hub</u> website and the following Ministry of Health documents for additional resources related to outbreak control measures:						
	Recommendations for Outbreak Prevention and Control in Institutions and Congregate Living Settings – October 2024, or as current.						
	Appendix 1: Ontario Public Health Standards, Respiratory Infection Outbreaks in Institutions and Public Hospitals – September 2024, or as current.						
	Appendix 1: Ontario Public Health Standards, Coronavirus Disease 2019 (COVID-19) – October 2024, or as current.						
	Outbreak Education	Provide education to those in the setting about outbreak control measures, such as proper use of masks, cleaning hands, and reporting any new symptoms to staff.					
	Case Control Measures	Symptomatic individuals should remain in their room and cohort cases (i.e., limit movement of individuals between outbreak areas and non-outbreak areas) where/when possible.					
		Refer to <u>Section 7.3</u> of the <i>Infection Prevention and Control (IPAC) and Outbreak Management in Congregate Living Settings</i> document for more information.					
	Additional Precautions	All positive cases should be placed on droplet and/or contact precautions in addition to routine practices. Refer to Section 2.0 of the Infection Prevention and Control (IPAC) and Outbreak Management in Congregate Living Settings document or PHO's Routine and Additional Precautions webpage for more information.					
		Post additional precautions signage on the door of case rooms, when possible.					
	Staff/Student/ Volunteers Control Measures	Minimize movement of staff/students/volunteers between affected and unaffected areas as much as possible (i.e., cohort staff).					
		Exclude ill staff/students/volunteers until 24hr symptom-free and no fever present or longer if indicated by internal policies. Upon return to work, staff should mask and avoid caring for highest risk individuals for 10 days from symptom onset or test date (whichever is earlier).					
		Refer to your internal policy regarding unvaccinated staff/students/volunteers during influenza (flu) outbreaks. Exclusion is strongly recommended if unvaccinated and not on antiviral prophylaxis.					



For Congregate Living Settings

		Restrict visitors to essential caregivers in affected areas.		
		Ensure those who do visit:		
		Are screened for signs and symptoms of illness.		
	Visitor Control Measures	Practice vigilant hand hygiene.		
		 Visit individuals in their rooms and avoid communal areas. 		
		 Visit only one individual; do not mingle with others. 		
		 Use appropriate PPE especially if providing direct care. 		
		Ill visitors should be advised not to visit while they are ill and wait until symptoms have ended.		
	Increased Environmental Cleaning	For more information, refer Section 5.1 of the Infection Prevention and Control (IPAC) and Outbreak Management in Congregate Living Settings document or to PHO's Best Practices for Environmental Cleaning – April 2018, or as current.		
	Hand Hygiene	Ensure proper handwashing is maintained by everyone in the setting by providing ample supply of soap and 70-90% alcohol-based hand sanitizers (e.g., where sinks are not readily available).		
	PPE	Ensure proper PPE, for example, masks (N95 where applicable), gloves, gowns and eye protection, are available and accessible throughout the setting.		
		Provide a container for soiled PPE/linen:		
		• If the container is located <i>inside</i> the individual's room, the container must be a		
		minimum of 6ft or more away from the individual's bed.		
		 If not possible, place the container outside the room a minimum of 6ft away from any clean linen. 		
		*Ensure alcohol-based hand sanitizer is available by the container.		
		Refer to Section 2.0 and Section 7.3 of the Infection Prevention and Control (IPAC) and Outbreak Management in Congregate Living Settings document for more information on the required PPE for a respiratory outbreak.		
	Auditing	Increase audits of staff practices (e.g. hand hygiene, cleaning, use of PPE, etc.).		
	Dietary	Ensure there is a dining policy in place to separate exposed and unexposed individuals.		
		Provide in-room tray service meals within the outbreak area, if available. Ensure the staff who deliver meals are practicing proper hand hygiene in between rooms.		
	Activities	Reschedule communal activities in the affected area(s).		
		Exceptions regarding non-outbreak units/floors should be discussed with the OMT involving outside groups such as entertainers, volunteer organizations, and community groups.		



For Congregate Living Settings

	Admissions/ Readmissions & Transfers	Limit, if possible, when a new outbreak has been declared. For specific guidance on admissions/readmission/transfers, refer to Section 3.5 and 3.6 (page 29-31) of the Recommendations for Outbreak Prevention and Control in Institutions and Congregate Living Settings – February 2025, or as current.				
	Medical/Other Appointments	If possible, reschedule non-urgent appointments until outbreak is over.				
		Symptomatic clients/residents/patients should wear a mask (as tolerated for respiratory illnesses) and the receiving facility should be notified of the outbreak.				
	ANTIVIRALS					
	☐ Consult with a primary care provider to check if an individual is eligible to take medications for COVID-19 or influenza/the flu (called <i>anti-viral medications</i>). More information can be found in Appendix B: Antivirals/Therapeutics (page 95-105) of the Recommendations for Outbreak Prevention and Control in Institutions and Congregate Living Settings – February 2025, or as current.					
Signature and			Date:			
Designation:						