

## **SYPHILIS**

## HEALTH CARE PROVIDER INVESTIGATION & REPORTING FORM

Completion of this form is required and faxed by the next working day from the initial patient visit, to the Windsor-Essex County Health Unit – Clinical Services (fax: 226-783-2132). **Refer to the Health Unit or Canadian Guidelines** *on Sexually Transmitted Infections* for diagnosis and management of STIs, including complex cases.

DATE REPORTED (YY/MM/DD)		REPORTING PROVIDER NAME		PHONE NUMBER				
				( )		ext.		
SECTION A: PATIENT INFORMATION								
PATIENT NAM	E		SEX	DATE OF BIR	TH (YY/MM/DD)	AGE		
	(FIRST) (N	MIDDLE) (LAST)						
ADDRESS								
	(STREET)		(CITY)		(POSTAL	CODE)		
HOME PHONE: ( ) -			ALTERNATE PHONE: ( ) -					
SECTION B: INFECTION MANAGEMENT								
Reason for	□ Asymptomatic with risk factors, other than contact □ Symptomatic							
Testing								
_	Contact tracing  Immigration Screening  Resting  Addited Presedure							
	Routine – Prenatal Screen     Routine – Medical Procedure							
🗌 Yes 🗌 No	Other, specify:							
	Was the client tested for HIV? Date (YY/MM/DD):Results:							
	Is the client pregnant? If yes, gestational age: weeks							
□ Yes □ No	Has the client been notified of the laboratory result, indicating infection?							
Working	Primary      Secondary      Early Latent      Late Latent      Tertiary      Neurosyphilis							
diagnosis	□ Client was previously diagnosed, appropriately treated, and there is <b>no chance of re-infection</b> (i.e.,							
	new exposure). No additional follow up is required. <b>Do not complete the rest of the form.</b>							
How are	STAGE OF SYPHILLIS	MEDICATION, DOS			EFFECTIVE DATE (	(Y/MM/DD)		
you treating the	Primary Secondary		Benzathine penicillin G (Bicillin-LA) 2.4					
client?	$\Box$ Early latent (<1 y		million units IM once ( <u>NOTE</u> : Not to be confused with short-acting					
		benzylpenicillin (penicillin G))						
		□ Other:	<b>u</b> <i>n</i>					
	🗆 Late latent	-	Benzathine penicillin G (Bicillin-LA) 2.4					
			million units IM weekly x 3 doses					
	🗆 Neurosyphilis	Other:	million units IV o	u4b y				
		days		4   ×				
	Tertiary		ious Diseases Spe	cialist.	N/A			
SECTION C: PATIENT EDUCATION								
	Counsel client regarding how syphilis is transmitted and prevention methods, including safer sex. Advise clients and contacts to abstain from unprotected intercourse of all types (anal, oral, and					fer sex.		
	vaginal) during infectious stages until treatment of both partners complete and an adequate							
	serologic response is determined.							
	Inform client that follow-up serology tests need to be performed to monitor infection. Refer to <i>Canadian Guidelines</i> for follow-up serology test schedule for various stages of syphilis.							
	Advise client to inform sexual partners to follow up with a health care provider to get testing and treatment. The Health Unit can assist with contact tracing and anonymous partner notification.							
	<ul> <li>Inform client/parent that a nurse from the Health Unit will be contacting them. They may a</li> <li>Health Unit directly at 519-258-2146 ext. 1420.</li> </ul>				also call the			
		y al 519-230-2140 eXl	1420.					

PRESENTING SIGNS AND SYMPTOMS OF PRIMARY, SECONDARY, OR LATENT: Varies, depending on stage of syphilis					
√ SIGNS & SYMPTOMS	Onset Date (YY/MM/DD)	SIGNS & SYMPTOMS	Onset Date (YY/MM/DD)		
		Malaise			
Patchy or diffuse alopecia		Meningitis			
Chancre		Mucus lesions			
🗆 Condyloma lata		🗆 Rash			
🗆 Fever		Retinitis			
Headaches		□ Uveitis			
Lymphadenopathy		□ Other, specify:			

RISK FACTORS: Routinely screen individuals who are pregnant or planning a pregnancy. It is recommended that a diagnosis of syphilis should be considered in anyone with compatible signs or symptoms and also for those with risk factors.

Risks	Risks
□ Sexual contact with a known case of syphilis	<ul> <li>Originated from or had sex with individual from endemic country</li> </ul>
□ For men, a history of sex with other men	Those with street involvement/homeless
□ Multiple and/or anonymous sexual partnering.	Injection drug use
□ Sex workers	□ Sexual partners of individuals with any risk factors
□ History of syphilis, HIV, and other STIs	□ Other, specify:

## REPORTING HEALTH CARE PROVIDER'S SIGNATURE: \_\_\_\_\_

The Health Protection and Promotion Act 1990 (HPPA), R.S.O., 1990, and Ontario Reg. 135/18, outlines the requirements for physicians, practitioners, and institutions to report any disease of public health significance to the Medical Officer of Health.

> For more information, 519-258-2146 ext. 1420 **Infectious Disease Prevention** www.wechu.org November 2023/COMMUNITY/SYPHILIS