# SOMA Ontario Medical Association

## **Recommendations for Use of Personal Protective Equipment**

## **Routes of Transmission**

- Cases and clusters demonstrate that COVID-19 is transmitted through the Droplet/Contact route ٠
- Most cases are linked to person-to-person transmission through close contact ٠
- There is no evidence that COVID-19 is transmitted through the airborne route except possibly in special circumstances

## Key Recommendations for Care of Patients with Suspected or Confirmed COVID-19

## When providing

- **Use Droplet and Contact precautions**
- routine care:
- Isolate the patient in a single room

### When planning or anticipating to conducting aerosolgenerating medical procedures\*:

- **Use Airborne precautions**
- Place the patient in an airborne infection isolation room (AIIR)
- If AIIR is not available, isolate the patient in a single room with a closed door

#### \*Aerosol-generating medical procedures

- Endotracheal intubation, including during cardio-pulmonary resuscitation
- Cardio-pulmonary resuscitation
- ٠ Open airway suctioning
- Bronchoscopy (Diagnostic or Therapeutic) .
- Surgery and autopsy Sputum induction . (Diagnostic or Therapeutic)
- Non-invasive positive pressure ventilation for acute respiratory failure (CPAP, BiPAP3-5)
- High flow oxygen therapy ٠

**Note:** The collection of a nasopharyngeal swab is not an aerosol generating procedure.

## **Precautions**

#### **Risk Assessments**

- Health Care Workers have a responsibility to perform a Point-of-Care risk assessment before every patient interaction
- Organizations have a responsibility to conduct an Organizational Risk • Assessment and education/train staff accordingly
- Organizations should apply a hierarchy of hazard controls, which include • elimination and substitution, engineering and systems controls, administrative controls, and personal protective equipment.

#### **Droplet and Contact Precautions**

- Gloves
- Protective eyewear
- Surgical/procedure mask
- Isolation gown

#### **Airborne Precautions**

- N95 Respirator
- AIIR

#### . . ... ~ ~

Healthcare	Providers and Support Staff	Contact Precautions	Precautions	required	otier
In-Patient Healthcar	e Facilities				
Patient's room	Providing direct care to suspect or confirmed COVID-19 patients (including nasopharyngeal and oropharyngeal swab collection)	~			
	Aerosol-generating procedures performed on suspect or confirmed COVID-19 patients	~	~		
Patient transit areas	Any activity that does not involve contact with suspect or confirmed COVID-19 patients				Routine practices and additional precautions based on risk assessment
Triage	Preliminary screening not involving direct contact	~			PPE not required if separated by physical barrier or able to maintain 2m distance from patient
Administrative areas	Administrative tasks that do not involve contact with patients			~	
Ambulatory and Out	tpatient Healthcare Facilities				
Consultation room	Physician examination of patient with suspected or confirmed COVID-19	~			
Administrative areas	Administrative tasks that do not involve contact with patients			$\checkmark$	
Reception/Triage	Preliminary screening not involving direct contact	~			PPE not required if separated by physical barrier or able to maintain 2m distance from patient
Home Care					
In patient's home	Visiting clients/patients suspected or confirmed to have COVID-19	~			
Long Term Care Hon	ne				
Any location	Providing direct care to suspect or confirmed COVID-19 residents (including nasopharyngeal and oropharyngeal swab collection)	~			
Any location	Providing CPAP and/or open suctioning to suspect or confirmed COVID-19 residents		~		
Administrative areas	Administrative tasks that do not involve contact with resident suspected or confirmed to have COVID-19			~	

Droplet &

Airborne

No PPE

Other

### **Visitors and Environmental Service Workers**

All Care Settings			
Patient's room	Entering the room of a suspect or confirmed COVID-19 person	$\checkmark$	Visitors should be discouraged or limited
	(including entering to clean after and between consultations)		

### Patients Suspected or Confirmed to have COVID-19

Triage	Provide patient with surgical/procedure mask if tolerated.			
	Ask patient to maintain 2m distance or separation by a physician barrier.			
	Ask patient to perform hand hygiene.			
Ambulatory and (	Dutpatient Healthcare Facilities			
Triage/Reception	Provide patient with surgical/procedure mask if tolerated.			
	Ask patient to maintain 2m distance or separation by a physician barrier.			
Waiting room	Provide patient with surgical/procedure mask if tolerated.			
	• Immediately move the patient to a single patient room or separate area away from others. If this is not feasible, ensure special distance of at least 2m from patient.			
Consultation	Provide patient with surgical/procedure mask if tolerated.			
room	Ask patient to perform hand hygiene.			